





No 03

5•2.5mm

STOCK SPROCKETS



Type B

Type B

Unit:mm


No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material
			Catalogue No.	Bore:d	Hub		
					Dh	L	
8	13.06	15.2	03B8	4	7	10	20 [#] (1020)
9	14.62	16.8	03B9	5	8	10	
10	16.18	18.3	03B10	5	9	10	
11	17.75	19.9	03B11	6	11	10	
12	19.32	21.5	03B12	6	12	10	
13	20.89	23.0	03B13	6	14	10	
14	22.47	24.6	03B14	6	15	10	
15	24.04	26.2	03B15	6	16	10	
16	25.63	27.8	03B16	8	18	13	
17	27.20	29.4	03B17	8	18	13	
18	28.79	30.9	03B18	8	18	13	
19	30.38	32.5	03B19	8	18	13	
20	31.96	34.1	03B20	8	18	13	
21	33.54	35.7	03B21	8	20	13	
22	35.13	37.3	03B22	8	20	13	
23	36.72	38.9	03B23	8	20	13	
24	38.30	40.5	03B24	8	20	13	
25	39.89	42.0	03B25	8	20	13	
26	41.48	43.6	03B26	8	25	15	
27	43.07	45.2	03B27	8	25	15	
28	44.65	46.8	03B28	8	25	15	
29	46.25	48.4	03B29	8	25	15	
30	47.83	50.0	03B30	8	25	15	
31	49.42	51.6	03B31	8	30	15	
32	51.01	53.2	03B32	8	30	15	
33	52.60	54.8	03B33	8	30	15	
34	54.19	56.3	03B34	8	30	15	
35	55.78	57.9	03B35	8	30	15	
36	57.37	59.5	03B36	8	30	15	
37	58.96	61.1	03B37	8	30	15	
38	60.54	62.7	03B38	8	30	15	
39	62.13	64.3	03B39	8	30	15	
40	63.73	65.9	03B40	8	30	15	



No 04

6•2.8mm

STOCK SPROCKETS



Type B

Type B

Unit:mm


No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material
			Catalogue No.	Bore:d	Hub		
					Dh	L	
8	15.67	18.0	04B8	5	9.8	10	20 [#] (1020)
9	17.54	19.9	04B9	5	11.5	10	
10	19.42	21.7	04B10	6	13	10	
11	21.30	23.6	04B11	6	14	10	
12	23.18	25.4	04B12	6	16	10	
13	25.05	27.3	04B13	6	18	10	
14	26.96	29.2	04B14	6	20	10	
15	28.86	31.1	04B15	6	20	10	
16	30.76	33.0	04B16	8	20	13	
17	32.65	35.0	04B17	8	20	13	
18	34.55	36.9	04B18	8	20	13	
19	36.44	38.8	04B19	8	20	13	
20	38.34	40.7	04B20	8	20	13	
21	40.25	42.6	04B21	8	25	13	
22	42.16	44.5	04B22	8	25	13	
23	44.06	46.4	04B23	8	25	13	
24	45.96	48.3	04B24	8	25	13	
25	47.87	50.2	04B25	8	25	13	
26	49.77	52.1	04B26	8	30	15	
27	51.67	54.0	04B27	8	30	15	
28	53.58	55.9	04B28	8	30	15	
29	55.50	57.8	04B29	8	30	15	
30	57.42	59.8	04B30	8	30	15	
31	59.31	61.7	04B31	10	30	15	
32	61.21	63.6	04B32	10	30	15	
33	63.11	65.5	04B33	10	30	15	
34	65.02	67.4	04B34	10	30	15	
35	66.93	69.3	04B35	10	30	15	
36	68.84	71.2	04B36	10	30	15	
37	70.75	73.1	04B37	10	30	15	
38	72.66	75.0	04B38	10	30	15	
39	74.56	76.9	04B39	10	30	15	
40	76.47	78.9	04B40	10	30	15	
45	86.01	88.5	04B45	12	40	18	
50	95.55	98.0	04B50	12	50	20	
57	108.93	111.4	04B57	12	50	20	




No 05

STOCK SPROCKETS

8•3.0mm



Type B



Type B

Single-Type B

Double-Type B

Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B					Double Type B				
			Catalogue No.	Bore d	Hub		Material	Catalogue No.	Bore d	Hub		Material
					Dh	L				Dh	L	
8	20.90	24.0	05B8	6	13	12	40 [#] (1040)	D05B8	6	12	18	40 [#] (1040)
9	23.39	26.6	05B9	6	15	12		D05B9	6	15	18	
10	25.89	29.2	05B10	6	17	12		D05B10	8	17	18	
11	28.39	31.7	05B11	7	18	13		D05B11	8	19	18	
12	30.91	34.2	05B12	7	20	13		D05B12	8	21	18	
13	33.42	36.7	05B13	7	23	13		D05B13	8	24	18	
14	35.95	39.2	05B14	7	25	13		D05B14	8	26	18	
15	38.48	41.7	05B15	7	28	13		D05B15	8	29	18	
16	41.01	44.3	05B16	8	30	14		D05B16	10	32	20	
17	43.53	46.8	05B17	8	30	14		D05B17	10	34	20	
18	46.07	49.3	05B18	8	30	14		D05B18	10	37	20	
19	48.61	51.9	05B19	8	30	14		D05B19	10	39	20	
20	51.14	54.4	05B20	8	30	14		D05B20	10	40	20	
21	53.67	57.0	05B21	8	35	14		D05B21	10	40	20	
22	56.21	59.5	05B22	8	35	14		D05B22	10	40	20	
23	58.75	62.0	05B23	8	35	14		D05B23	10	40	20	
24	61.29	64.6	05B24	8	35	14		D05B24	10	40	20	
25	63.83	67.5	05B25	8	35	14		D05B25	10	40	20	
26	66.37	69.5	05B26	10	40	16		D05B26	12	50	22	
27	68.91	72.2	05B27	10	40	16		D05B27	12	50	22	
28	71.45	74.8	05B28	10	40	16		D05B28	12	50	22	
29	73.99	77.3	05B29	10	40	16		D05B29	12	50	22	
30	76.53	79.8	05B30	10	40	16		D05B30	12	50	22	
31	79.08	82.4	05B31	12	40	16		D05B31	12	60	22	
32	81.61	84.9	05B32	12	40	16		D05B32	12	60	22	
33	84.16	87.5	05B33	12	40	16		D05B33	12	60	22	
34	86.70	90.0	05B34	12	40	16		D05B34	12	60	22	
35	89.24	92.5	05B35	12	40	16		D05B35	12	60	22	
36	91.79	95.0	05B36	12	40	16		D05B36	12	60	22	
37	94.33	97.6	05B37	12	40	16		D05B37	12	60	22	
38	96.88	100.2	05B38	12	40	16		D05B38	12	60	22	
39	99.42	102.7	05B39	12	40	16		D05B39	12	60	22	
40	101.97	105.3	05B40	12	40	16		D05B40	12	60	22	
45	114.69	118.0	05B45	12	60	20						
50	127.41	130.7	05B50	12	60	20						
57	145.22	148.6	05B57	14	80	20						




No 06


3/8"•7/32"

(9.525•5.72mm)


STOCK SPROCKETS



Type B



Type B



Type B

Single-Type B

Double-Type B

Triple-Type B Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material	Double Type B				Material	Triple Type B				Material
			Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L	
8	24.89	28.0	06B8	8	15	22	40# (1040)	D06B8	8	15	22	40# (1040)	T06B8	8	15	32	40# (1040)
9	27.85	31.0	06B9	8	18	22		D06B9	8	18	22		T06B9	8	18	32	
10	30.82	34.0	06B10	8	20	22		D06B10	8	20	22		T06B10	10	20	32	
11	33.80	37.0	06B11	8	22	25		D06B11	10	22	25		T06B11	12	22	35	
12	36.80	40.0	06B12	8	25	25		D06B12	10	25	25		T06B12	12	25	35	
13	39.80	43.0	06B13	10	28	25		D06B13	10	28	25		T06B13	12	28	35	
14	42.80	46.3	06B14	10	31	25		D06B14	10	31	25		T06B14	12	31	35	
15	45.81	49.3	06B15	10	34	25		D06B15	10	34	25		T06B15	12	34	35	
16	48.82	52.3	06B16	10	37	28		D06B16	12	37	30		T06B16	12	37	35	
17	51.83	55.3	06B17	10	40	28		D06B17	12	40	30		T06B17	12	40	35	
18	54.85	58.3	06B18	10	43	28		D06B18	12	43	30		T06B18	12	43	35	
19	57.87	61.3	06B19	10	45	28		D06B19	12	46	30		T06B19	12	46	35	
20	60.89	64.3	06B20	10	46	28		D06B20	12	49	30		T06B20	12	49	35	
21	63.91	68.0	06B21	12	48	28		D06B21	16	52	30		T06B21	16	52	40	
22	66.93	71.0	06B22	12	50	28		D06B22	16	55	30		T06B22	16	55	40	
23	69.95	73.5	06B23	12	82	28		D06B23	16	58	30		T06B23	16	58	40	
24	72.97	77.0	06B24	12	54	28		D06B24	16	61	30		T06B24	16	61	40	
25	76.00	80.0	06B25	12	57	28		D06B25	16	64	30		T06B25	16	64	40	
26	79.02	83.0	06B26	12	60	28		D06B26	16	67	30		T06B26	16	67	40	
27	82.04	86.0	06B27	12	60	28		D06B27	16	70	30		T06B27	16	70	40	
28	85.07	89.0	06B28	12	60	28		D06B28	16	73	30		T06B28	16	73	40	
29	88.09	92.0	06B29	12	60	28		D06B29	16	76	30		T06B29	16	76	40	
30	91.12	94.7	06B30	12	60	28		D06B30	16	79	30		T06B30	16	79	40	
31	94.15	98.3	06B31	14	65	30		D06B31	16	80	30		T06B31	16	80	40	
32	97.17	101.3	06B32	14	65	30		D06B32	16	80	30		T06B32	16	80	40	
33	100.20	104.3	06B33	14	65	30		D06B33	16	80	30		T06B33	16	80	40	
34	103.23	107.3	06B34	14	65	30		D06B34	16	80	30		T06B34	16	85	40	
35	106.26	110.4	06B35	14	65	30		D06B35	16	80	30		T06B35	16	85	40	
36	109.29	113.4	06B36	14	70	30		D06B36	16	90	30		T06B36	16	90	40	
37	112.32	116.4	06B37	14	70	30		D06B37	16	90	30		T06B37	16	90	40	
38	115.34	119.5	06B38	14	70	30		D06B38	16	90	30		T06B38	16	90	40	
39	118.37	122.5	06B39	14	70	30		D06B39	16	90	30		T06B39	16	90	40	
40	121.40	125.5	06B40	14	70	30		D06B40	16	90	30		T06B40	16	90	40	



Note: Single sprockets with 30 teeth or less have hardened teeth.



No 081

1/2"•1/8"

(12.7•3.33mm)



Type B

From Z=31 the width of the plate is increased to H=5mm

Type B

Unit:mm



No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material
			Catalogue No.	Bore:d	Hub		
					Dh	L	
8	33.18	37.2	081B8	8	21	14	20 [#] (1020)
9	37.13	41.5	081B9	8	25	14	
10	41.10	46.2	081B10	8	28	14	
11	45.07	49.6	081B11	8	31	16	
12	49.07	53.9	081B12	8	35	16	
13	53.06	58.4	081B13	8	39	16	
14	57.07	62.8	081B14	8	43	16	
15	61.09	66.8	081B15	8	47	16	
16	65.10	70.9	081B16	10	50	18	
17	69.11	74.9	081B17	10	50	18	
18	73.14	78.9	081B18	10	50	18	
19	77.16	82.9	081B19	10	50	18	
20	81.19	86.9	081B20	10	50	18	
21	85.22	91.0	081B21	12	60	20	
22	89.24	95.0	081B22	12	60	20	
23	93.27	99.0	081B23	12	60	20	
24	97.29	103.0	081B24	12	60	20	
25	101.33	107.1	081B25	12	60	20	
26	105.36	111.2	081B26	16	70	20	
27	109.40	115.4	081B27	16	70	20	
28	113.42	119.4	081B28	16	70	20	
29	117.46	123.4	081B29	16	70	20	
30	121.50	127.5	081B30	16	70	20	
31	125.54	131.5	081B31	16	70	20	
32	129.56	135.5	081B32	16	70	20	
33	133.60	139.6	081B33	16	70	20	
34	137.64	143.6	081B34	16	70	20	
35	141.68	147.6	081B35	16	70	20	
36	145.72	151.7	081B36	16	70	25	
37	149.76	155.7	081B37	16	70	25	
38	153.80	159.8	081B38	16	70	25	
39	157.83	163.8	081B39	16	70	25	
40	161.87	167.8	081B40	16	70	25	



No 083/084

STOCK SPROCKETS

1/2"•3/16"
(12.7•4.88mm)



Type B

Type B

Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B						
			Catalogue No.	Bore: d	Hub					Material	Catalogue No.	Bore: d	Hub		Material	
					Dh	L							Dh			L
8	33.18	38.5	083B8	8	21	14	40# (1040)	8	33.18	37.2	084B8	8	21	14	40# (1040)	
9	37.13	41.5	083B9	8	25	14		9	37.13	41.5	084B9	8	25	14		
10	41.10	46.2	083B10	8	28	14		10	41.10	46.2	084B10	8	28	14		
11	45.07	49.6	083B11	8	31	16		11	45.07	49.6	084B11	8	31	16		
12	49.07	53.9	083B12	8	35	16		12	49.07	53.9	084B12	8	35	16		
13	53.06	58.4	083B13	8	39	16		13	53.06	58.4	084B13	8	39	16		
14	57.07	62.8	083B14	8	43	16		14	57.07	62.8	084B14	8	43	16		
15	61.09	66.8	083B15	8	47	16		15	61.09	66.8	084B15	8	47	16		
16	65.10	70.9	083B16	10	50	18		16	65.10	70.9	084B16	10	50	18		
17	69.11	74.9	083B17	10	50	18		17	69.11	74.9	084B17	10	50	18		
18	73.14	78.9	083B18	10	50	18		18	73.14	78.9	084B18	10	50	18		
19	77.16	82.9	083B19	10	50	18		19	77.16	82.9	084B19	10	50	18		
20	81.19	86.9	083B20	10	50	18		20	81.19	86.9	084B20	10	50	18		
21	85.22	91.0	083B21	12	60	20		21	85.22	91.0	084B21	12	60	20		
22	89.24	95.0	083B22	12	60	20		22	89.24	95.0	084B22	12	60	20		
23	93.27	99.0	083B23	12	60	20		23	93.27	99.0	084B23	12	60	20		
24	97.29	103.0	083B24	12	60	20		24	97.29	103.0	084B24	12	60	20		
25	101.33	107.1	083B25	12	60	20		25	101.33	107.1	084B25	12	60	20		
26	105.36	111.2	083B26	16	70	20		26	105.36	111.2	084B26	16	70	20		
27	109.40	115.4	083B27	16	70	20		27	109.40	115.4	084B27	16	70	20		
28	113.42	119.4	083B28	16	70	20	28	113.42	119.4	084B28	16	70	20			
29	117.46	123.4	083B29	16	70	20	29	117.46	123.4	084B29	16	70	20			
30	121.50	127.5	083B30	16	70	20	30	121.50	127.5	084B30	16	70	20			
31	125.54	131.5	083B31	16	70	20	31	125.54	131.5	084B31	16	70	20			
32	129.56	135.5	083B32	16	70	20	32	129.56	135.5	084B32	16	70	20			
33	133.60	139.6	083B33	16	70	20	33	133.60	139.6	084B33	16	70	20			
34	137.64	143.6	083B34	16	70	20	34	137.64	143.6	084B34	16	70	20			
35	141.68	147.6	083B35	16	70	20	35	141.68	147.6	084B35	16	70	20			
36	145.72	151.7	083B36	16	70	25	36	145.72	151.7	084B36	16	70	25			
37	149.76	155.7	083B37	16	70	25	37	149.76	155.7	084B37	16	70	25			
38	153.80	159.8	083B38	16	70	25	38	153.80	159.8	084B38	16	70	25			
39	157.83	163.8	083B39	16	70	25	39	157.83	163.8	084B39	16	70	25			
40	161.87	167.8	083B40	16	70	25	40	161.87	167.8	084B40	16	70	25			





No 085-1

1/2" · 1/4"

(12.7 · 6.4 · 7.75mm)

STOCK SPROCKETS



Type B

Type B

Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material
			Catalogue No.	Bore:d	Hub		
					Dh	L	
8	33.18	38.5	085-1B8	10	20	25	40 [#] (1040)
9	37.13	41.5	085-1B9	10	24	25	
10	41.10	46.2	085-1B10	10	26	25	
11	45.07	49.6	085-1B11	10	29	25	
12	49.07	53.9	085-1B12	10	33	28	
13	53.06	58.4	085-1B13	10	37	28	
14	57.07	62.8	085-1B14	10	41	28	
15	61.09	66.8	085-1B15	10	45	28	
16	65.10	70.9	085-1B16	12	50	28	
17	69.11	74.9	085-1B17	12	52	28	
18	73.14	78.9	085-1B18	12	56	28	
19	77.16	82.9	085-1B19	12	60	28	
20	81.19	86.9	085-1B20	12	64	28	
21	85.22	91.0	085-1B21	14	68	28	
22	89.24	95.0	085-1B22	14	70	28	
23	93.27	99.0	085-1B23	14	70	28	
24	97.29	103.0	085-1B24	14	70	28	
25	101.33	107.1	085-1B25	14	70	28	
26	105.36	111.2	085-1B26	16	70	30	
27	109.40	115.4	085-1B27	16	70	30	
28	113.42	119.4	085-1B28	16	70	30	
29	117.46	123.4	085-1B29	16	80	30	
30	121.50	127.5	085-1B30	16	80	30	
31	125.54	131.5	085-1B31	16	90	30	
32	129.56	135.5	085-1B32	16	90	30	
33	133.60	139.6	085-1B33	16	90	30	
34	137.64	143.6	085-1B34	16	90	30	
35	141.68	147.6	085-1B35	16	90	30	
36	145.72	151.7	085-1B36	16	90	35	
37	149.76	155.7	085-1B37	16	90	35	
38	153.80	159.8	085-1B38	16	90	35	
39	157.83	163.8	085-1B39	16	90	35	
40	161.87	167.8	085-1B40	16	90	35	





No 085-2

1/2"•1/4"

(12.7•6.4•8.51mm)

STOCK SPROCKETS



Type B

Type B




Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Type B				Material
			Catalogue No.	Bore:d	Hub		
					Dh	L	
8	33.18	37.2	085-2B8	10	20	25	40 [#] (1040)
9	37.13	41.0	085-2B9	10	24	25	
10	41.10	45.2	085-2B10	10	26	25	
11	45.07	48.7	085-2B11	10	29	25	
12	49.07	53.0	085-2B12	10	33	28	
13	53.06	57.4	085-2B13	10	37	28	
14	57.07	61.8	085-2B14	10	41	28	
15	61.09	65.5	085-2B15	10	45	28	
16	65.10	69.5	085-2B16	12	50	28	
17	69.11	73.6	085-2B17	12	52	28	
18	73.14	77.8	085-2B18	12	56	28	
19	77.16	81.7	085-2B19	12	60	28	
20	81.19	85.8	085-2B20	12	64	28	
21	85.22	89.7	085-2B21	14	68	28	
22	89.24	93.8	085-2B22	14	70	28	
23	93.27	98.2	085-2B23	14	70	28	
24	97.29	101.8	085-2B24	14	70	28	
25	101.33	105.8	085-2B25	14	70	28	
26	105.36	110.0	085-2B26	16	70	30	
27	109.40	114.0	085-2B27	16	70	30	
28	113.42	118.0	085-2B28	16	70	30	
29	117.46	122.0	085-2B29	16	80	30	
30	121.50	126.1	085-2B30	16	80	30	
31	125.54	130.2	085-2B31	16	90	30	
32	129.56	134.3	085-2B32	16	90	30	
33	133.60	138.4	085-2B33	16	90	30	
34	137.64	142.6	085-2B34	16	90	30	
35	141.68	146.7	085-2B35	16	90	30	
36	145.72	151.0	085-2B36	16	90	35	
37	149.76	154.6	085-2B37	16	90	35	
38	153.80	158.6	085-2B38	16	90	35	
39	157.83	162.7	085-2B39	16	90	35	
40	161.87	166.8	085-2B40	16	90	35	



No 08
1/2"•5/16"
(12.7•7.75mm)

STOCK SPROCKETS



Single-Type B Double-Type B Triple-Type B Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material	Double Type B				Material	TripleType B				Material
			Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L	
8	33.18	37.2	08B8	10	20	25	40# (1040)	D08B8	10	20	32	40# (1040)	T08B8	10	20	46	40# (1040)
9	37.13	41.0	08B9	10	24	25		D08B9	10	24	32		T08B9	12	24	46	
10	41.10	45.2	08B10	10	26	25		D08B10	10	28	32		T08B10	12	28	46	
11	45.07	48.7	08B11	10	29	25		D08B11	12	32	35		T08B11	16	32	50	
12	49.07	53.0	08B12	10	33	28		D08B12	12	35	35		T08B12	16	35	50	
13	53.06	57.4	08B13	10	37	28		D08B13	12	38	35		T08B13	16	38	50	
14	57.07	61.8	08B14	10	41	28		D08B14	12	42	35		T08B14	16	42	50	
15	61.09	65.5	08B15	10	45	28		D08B15	12	46	35		T08B15	16	46	50	
16	65.10	69.5	08B16	12	50	28		D08B16	14	50	38		T08B16	16	50	50	
17	69.11	73.6	08B17	12	52	28		D08B17	14	54	38		T08B17	16	54	50	
18	73.14	77.8	08B18	12	56	28		D08B18	14	58	38		T08B18	16	58	50	
19	77.16	81.7	08B19	12	60	28		D08B19	14	62	38		T08B19	16	62	50	
20	81.19	85.8	08B20	12	64	28		D08B20	14	66	38		T08B20	16	66	50	
21	85.22	89.7	08B21	14	68	28		D08B21	16	70	40		T08B21	20	70	55	
22	89.24	93.8	08B22	14	70	28		D08B22	16	70	40		T08B22	20	70	55	
23	93.27	98.2	08B23	14	70	28		D08B23	16	70	40		T08B23	20	70	55	
24	97.29	101.8	08B24	14	70	28		D08B24	16	75	40		T08B24	20	75	55	
25	101.33	105.8	08B25	14	70	28		D08B25	16	80	40		T08B25	20	80	55	
26	105.36	110.0	08B26	16	70	30		D08B26	20	85	40		T08B26	20	85	55	
27	109.40	114.0	08B27	16	70	30		D08B27	20	85	40		T08B27	20	85	55	
28	113.42	118.0	08B28	16	70	30		D08B28	20	90	40		T08B28	20	90	55	
29	117.46	122.0	08B29	16	80	30		D08B29	20	95	40		T08B29	20	95	55	
30	121.50	126.1	08B30	16	80	30		D08B30	20	100	40		T08B30	20	100	55	
31	125.54	130.2	08B31	16	90	30		D08B31	20	100	40		T08B31	20	110	55	
32	129.56	134.3	08B32	16	90	30		D08B32	20	100	40		T08B32	20	110	55	
33	133.60	138.4	08B33	16	90	30		D08B33	20	100	40		T08B33	20	110	55	
34	137.64	142.6	08B34	16	90	30		D08B34	20	100	40		T08B34	20	110	55	
35	141.68	146.7	08B35	16	90	30		D08B35	20	100	40		T08B35	20	110	55	
36	145.72	151.0	08B36	20	90	35		D08B36	20	100	40		T08B36	25	120	55	
37	149.76	154.6	08B37	20	90	35		D08B37	20	100	40		T08B37	25	120	55	
38	153.80	158.6	08B38	20	90	35		D08B38	20	100	40		T08B38	25	120	55	
39	157.83	162.7	08B39	20	90	35		D08B39	20	100	40		T08B39	25	120	55	
40	161.87	166.8	08B40	20	90	35		D08B40	20	100	40		T08B40	25	120	55	

Note: Single sprockets with 30 teeth or less have hardened teeth.




No 10


5/8"•3/8"

(15.875•9.65mm)


STOCK SPROCKETS



Type B



Type B



Type B

Single-Type B

Double-Type B

Triple-Type B Unit:mm




No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material	Double Type B				Material	Triple Type B				Material
			Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L	
8	41.48	47.0	10B8	10	25	25	40# (1040)	D10B8	12	25	40	40# (1040)	T10B8	12	25	55	40# (1040)
9	46.42	52.6	10B9	10	30	25		D10B9	12	30	40		T10B9	12	30	55	
10	51.37	57.5	10B10	10	35	25		D10B10	12	35	40		T10B10	16	35	55	
11	56.34	63.0	10B11	12	37	30		D10B11	14	39	40		T10B11	16	39	55	
12	61.34	68.0	10B12	12	42	30		D10B12	14	44	40		T10B12	16	44	55	
13	66.32	73.0	10B13	12	47	30		D10B13	14	49	40		T10B13	16	49	55	
14	71.34	78.0	10B14	12	52	30		D10B14	14	54	40		T10B14	16	54	55	
15	76.36	83.0	10B15	12	57	30		D10B15	14	59	40		T10B15	16	59	55	
16	81.37	88.0	10B16	14	60	30		D10B16	16	64	45		T10B16	16	64	60	
17	86.39	93.0	10B17	14	60	30		D10B17	16	69	45		T10B17	16	69	60	
18	91.42	98.3	10B18	14	70	30		D10B18	16	74	45		T10B18	16	74	60	
19	96.45	103.3	10B19	14	70	30		D10B19	16	79	45		T10B19	16	79	60	
20	101.49	108.4	10B20	14	75	30		D10B20	16	84	45		T10B20	16	84	60	
21	106.52	113.4	10B21	16	75	30		D10B21	16	85	45		T10B21	20	85	60	
22	111.55	118.0	10B22	16	80	30		D10B22	16	90	45		T10B22	20	90	60	
23	116.58	123.4	10B23	16	80	30		D10B23	16	95	45		T10B23	20	95	60	
24	121.62	128.3	10B24	16	80	30		D10B24	16	100	45		T10B24	20	100	60	
25	126.66	134.0	10B25	16	80	30		D10B25	16	105	45		T10B25	20	105	60	
26	131.70	139.0	10B26	20	85	35		D10B26	20	110	45		T10B26	20	110	60	
27	136.75	144.0	10B27	20	85	35		D10B27	20	110	45		T10B27	20	110	60	
28	141.78	148.7	10B28	20	90	35		D10B28	20	115	45		T10B28	20	115	60	
29	146.83	153.8	10B29	20	90	35		D10B29	20	115	45		T10B29	20	115	60	
30	151.87	158.8	10B30	20	90	35		D10B30	20	120	45		T10B30	20	120	60	
31	156.92	163.9	10B31	20	95	35	Type BW With welded hub Q235A (20# 1020)	D10B31	20	120	45*	Type BW With welded hub Q235A (20# 1020)	T10B31	20	120	60*	Type BW With welded hub Q235A (20# 1020)
32	161.95	168.9	10B32	20	95	35		D10B32	20	120	45*		T10B32	20	120	60*	
33	167.00	174.5	10B33	20	95	35		D10B33	20	120	45*		T10B33	20	120	60*	
34	172.05	179.0	10B34	20	95	35		D10B34	20	120	45*		T10B34	20	120	60*	
35	177.10	184.1	10B35	20	95	35		D10B35	20	120	45*		T10B35	20	120	60*	
36	182.15	189.1	10B36	20	100	35		D10B36	20	120	45*		T10B36	25	120	60*	
37	187.20	194.2	10B37	20	100	35		D10B37	20	120	45*		T10B37	25	120	60*	
38	192.24	199.2	10B38	20	100	35		D10B38	20	120	45*		T10B38	25	120	60*	
39	197.29	204.2	10B39	20	100	35		D10B39	20	120	45*		T10B39	25	120	60*	
40	202.34	209.3	10B40	20	100	35		D10B40	20	120	45*		T10B40	25	120	60*	

Note: Single sprockets with 30 teeth or less have hardened teeth.



No 12
3/4"•7/16"
(19.05•11.68mm)

STOCK SPROCKETS






Single-Type B							Double-Type B							Triple-Type B							Unit:mm	
No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material	Double Type B				Material	Triple Type B				Material					
			Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L						
8	49.78	57.6	12B8	12	31	30	40# (1040)	D12B8	12	31	45	40# (1040)	T12B8	16	31	65	40# (1040)					
9	55.70	62.0	12B9	12	37	30		D12B9	12	37	45		T12B9	16	37	65						
10	61.64	69.0	12B10	12	42	30		D12B10	12	42	45		T12B10	16	42	65						
11	67.61	75.0	12B11	14	46	35		D12B11	16	47	50		T12B11	20	47	70						
12	73.60	81.5	12B12	14	52	35		D12B12	16	53	50		T12B12	20	53	70						
13	79.59	87.5	12B13	14	58	35		D12B13	16	59	50		T12B13	20	59	70						
14	85.61	93.6	12B14	14	64	35		D12B14	16	65	50		T12B14	20	65	70						
15	91.63	99.8	12B15	14	70	35		D12B15	16	71	50		T12B15	20	71	70						
16	97.65	105.5	12B16	16	75	35		D12B16	20	77	50		T12B16	20	77	70						
17	103.67	111.5	12B17	16	80	35		D12B17	20	83	50		T12B17	20	83	70						
18	109.71	118.0	12B18	16	80	35		D12B18	20	89	50		T12B18	20	89	70						
19	115.75	124.2	12B19	16	80	35		D12B19	20	95	50		T12B19	20	95	70						
20	121.78	129.7	12B20	16	80	35		D12B20	20	100	50		T12B20	20	100	70						
21	127.82	136.0	12B21	20	90	40		D12B21	20	100	50		T12B21	20	100	70						
22	133.86	141.8	12B22	20	90	40		D12B22	20	100	50		T12B22	20	100	70						
23	139.90	149.0	12B23	20	90	40		D12B23	20	110	50		T12B23	20	110	70						
24	145.94	153.9	12B24	20	90	40		D12B24	20	110	50		T12B24	20	110	70						
25	152.00	160.0	12B25	20	90	40		D12B25	20	120	50		T12B25	20	120	70						
26	158.04	165.9	12B26	20	95	40	Type BW 20# (1020)	D12B26	20	120	50	Type BW 20# (1020)	T12B26	20	120	70	Type BW 20# (1020)					
27	164.09	172.3	12B27	20	95	40		D12B27	20	120	50		T12B27	20	120	70						
28	170.13	178.0	12B28	20	95	40		D12B28	20	120	50		T12B28	20	120	70						
29	176.19	184.1	12B29	20	95	40		D12B29	20	120	50		T12B29	20	120	70						
30	182.25	190.5	12B30	20	95	40		D12B30	20	120	50		T12B30	20	120	70						
31	188.31	196.3	12B31	20	100	40		D12B31	20	120	50*		T12B31	25	130	70*						
32	194.35	203.3	12B32	20	100	40		D12B32	20	120	50*		T12B32	25	130	70*						
33	200.40	209.3	12B33	20	100	40		D12B33	20	120	50*		T12B33	25	130	70*						
34	206.46	214.6	12B34	20	100	40		D12B34	20	120	50*		T12B34	25	130	70*						
35	212.52	221.0	12B35	20	100	40		D12B35	20	120	50*		T12B35	25	130	70*						
36	218.58	226.8	12B36	25	100	40		D12B36	25	120	50*		T12B36	25	130	70*						
37	224.64	232.9	12B37	25	100	40		D12B37	25	120	50*		T12B37	25	130	70*						
38	230.69	239.0	12B38	25	100	40		D12B38	25	120	50*		T12B38	25	130	70*						
39	236.75	245.1	12B39	25	100	40		D12B39	25	120	50*		T12B39	25	130	70*						
40	242.81	251.3	12B40	25	100	40		D12B40	25	120	50*		T12B40	25	130	70*						

Note: Single sprockets with 30 teeth or less have hardened teeth.



No 16
1"•17.02mm
(25.4•17.02mm)

STOCK SPROCKETS



Single-Type B

Double-Type B

Triple-Type B Unit:mm


No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Double Type B				Triple Type B						
			Catalogue No.	Bore d	Hub		Material	Catalogue No.	Bore d	Hub		Material	Catalogue No.	Bore d	Hub		Material
					Dh	L				Dh	L				Dh	L	
8	66.37	77.0	16B8	16	42	35	40 [#] (1040)	D16B8	16	42	65	40 [#] (1040)	T16B8	20	42	95	40 [#] (1040)
9	74.27	85.0	16B9	16	50	35		D16B9	16	50	65		T16B9	20	50	95	
10	82.19	93.0	16B10	16	55	35		D16B10	16	56	65		T16B10	20	56	95	
11	90.14	99.5	16B11	16	61	40		D16B11	20	64	70		T16B11	25	64	100	
12	98.14	109.0	16B12	16	69	40		D16B12	20	72	70		T16B12	25	72	100	
13	106.12	117.0	16B13	16	78	40		D16B13	20	80	70		T16B13	25	80	100	
14	114.15	125.0	16B14	16	84	40		D16B14	20	88	70		T16B14	25	88	100	
15	122.17	133.0	16B15	16	92	40		D16B15	20	96	70		T16B15	25	96	100	
16	130.20	141.0	16B16	20	100	45		D16B16	25	104	70		T16B16	30	104	100	
17	138.22	149.0	16B17	20	100	45		D16B17	25	112	70		T16B17	30	112	100	
18	146.28	157.0	16B18	20	100	45		D16B18	25	120	70		T16B18	30	120	100	
19	154.33	165.2	16B19	20	100	45		D16B19	25	128	70		T16B19	30	128	100	
20	162.38	173.2	16B20	20	100	45		D16B20	25	130	70		T16B20	30	130	100	
21	170.43	181.2	16B21	20	110	50		D16B21	25	130	70*		T16B21	30	130	100*	
22	178.48	189.3	16B22	20	110	50		D16B22	25	130	70*		T16B22	30	130	100*	
23	186.53	197.5	16B23	20	110	50		D16B23	25	130	70*		T16B23	30	130	100*	
24	194.59	205.5	16B24	20	110	50		D16B24	25	130	70*		T16B24	30	130	100*	
25	202.66	213.5	16B25	20	110	50		D16B25	25	130	70*		T16B25	30	130	100*	
26	210.72	221.6	16B26	20	120	50		D16B26	25	130	70*		T16B26	30	130	100*	
27	218.79	229.6	16B27	20	120	50		D16B27	25	130	70*		T16B27	30	130	100*	
28	226.85	237.7	16B28	20	120	50	D16B28	25	130	70*	T16B28	30	130	100*			
29	234.92	245.8	16B29	20	120	50	D16B29	25	130	70*	T16B29	30	130	100*			
30	243.00	254.0	16B30	20	120	50	D16B30	25	130	70*	T16B30	30	130	100*			
31	251.08	262.0	16B31	25	120	50*	Type BW 20 [#] (1020)	D16B31	25	140	70*	Type BW 20 [#] (1020)	T16B31	30	140	100*	Type BW 20 [#] (1020)
32	259.13	270.0	16B32	25	120	50*		D16B32	25	140	70*		T16B32	30	140	100*	
33	267.21	278.5	16B33	25	120	50*		D16B33	25	140	70*		T16B33	30	140	100*	
34	275.28	287.0	16B34	25	120	50*		D16B34	25	140	70*		T16B34	30	140	100*	
35	283.36	296.2	16B35	25	120	50*		D16B35	25	140	70*		T16B35	30	140	100*	
36	291.44	304.6	16B36	25	120	50*		D16B36	25	140	70*		T16B36	30	140	100*	
37	299.51	312.6	16B37	25	120	50*		D16B37	25	140	70*		T16B37	30	140	100*	
38	307.59	320.7	16B38	25	120	50*		D16B38	25	140	70*		T16B38	30	140	100*	
39	315.67	328.8	16B39	25	120	50*		D16B39	25	140	70*		T16B39	30	140	100*	
40	323.73	336.9	16B40	25	120	50*		D16B40	25	140	70*		T16B40	30	140	100*	

Note: Single sprockets with 30 teeth or less have hardened teeth.




No 20
1¼"•3/4
(31.75•19.56mm)


STOCK SPROCKETS



Type B



Type B



Type B

Single-Type B

Double-Type B

Triple-Type B Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material	Double Type B				Material	Triple Type B				Material
			Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L	
8	82.96	98.1	20B8	20	53	40	40# (1040)	D20B8	20	53	75	40# (1040)	T20B8	25	53	110	40# (1040)
9	92.94	108.0	20B9	20	63	40		D20B9	20	63	75		T20B9	25	63	110	
10	102.74	117.9	20B10	20	70	40		D20B10	20	70	75		T20B10	25	70	110	
11	112.68	127.8	20B11	20	77	45		D20B11	25	80	80		T20B11	30	80	115	
12	122.68	137.8	20B12	20	88	45		D20B12	25	90	80		T20B12	30	90	115	
13	132.65	147.8	20B13	20	98	45		D20B13	25	100	80		T20B13	30	100	115	
14	142.68	157.8	20B14	20	108	45		D20B14	25	110	80		T20B14	30	110	115	
15	152.72	167.9	20B15	20	118	45		D20B15	25	120	80		T20B15	30	120	115	
16	162.75	177.9	20B16	25	120	50		D20B16	30	120	80		T20B16	30	120	115	
17	172.78	187.9	20B17	25	120	50		D20B17	30	120	80		T20B17	30	120	115	
18	182.85	198.0	20B18	25	120	50		D20B18	30	120	80*	Type BW 20# (1020)	T20B18	30	120	115*	Type BW 20# (1020)
19	192.91	208.1	20B19	25	120	50		D20B19	30	120	80*		T20B19	30	120	115*	
20	202.98	218.1	20B20	25	120	50		D20B20	30	120	80*		T20B20	30	120	115*	
21	213.04	228.2	20B21	30	140	55		D20B21	30	140	80*		T20B21	30	140	115*	
22	223.11	238.3	20B22	30	140	55		D20B22	30	140	80*		T20B22	30	140	115*	
23	233.17	248.3	20B23	30	140	55		D20B23	30	140	80*		T20B23	30	140	115*	
24	243.23	258.4	20B24	30	140	55		D20B24	30	140	80*		T20B24	30	140	115*	
25	253.33	268.5	20B25	30	140	55		D20B25	30	140	80*		T20B25	30	140	115*	
26	263.40	278.6	20B26	30	150	55*	Type BW 20# (1020)	D20B26	30	150	80*		T20B26	30	150	115*	
27	273.48	288.6	20B27	30	150	55*		D20B27	30	150	80*		T20B27	30	150	115*	
28	283.56	298.7	20B28	30	150	55*		D20B28	30	150	80*		T20B28	30	150	115*	
29	293.65	308.8	20B29	30	150	55*		D20B29	30	150	80*		T20B29	30	150	115*	
30	303.75	318.9	20B30	30	150	55*		D20B30	30	150	80*		T20B30	30	150	115*	
31	313.85	329.0	20B31	30	150	55*		D20B31	30	150	80*		T20B31	30	150	115*	
32	323.91	339.1	20B32	30	150	55*		D20B32	30	150	80*		T20B32	30	150	115*	
33	334.01	349.2	20B33	30	150	55*		D20B33	30	150	80*		T20B33	30	150	115*	
34	344.10	359.3	20B34	30	150	55*		D20B34	30	150	80*		T20B34	30	150	115*	
35	354.20	369.4	20B35	30	150	55*		D20B35	30	150	80*		T20B35	30	150	115*	
36	364.30	379.5	20B36	30	150	55*		D20B36	30	150	80*		T20B36	30	150	115*	
37	374.39	389.5	20B37	30	150	55*		D20B37	30	150	80*		T20B37	30	150	115*	
38	384.49	399.6	20B38	30	150	55*		D20B38	30	150	80*		T20B38	30	150	115*	
39	394.59	409.7	20B39	30	150	55*		D20B39	30	150	80*		T20B39	30	150	115*	
40	404.66	419.8	20B40	30	150	55*		D20B40	30	150	80*		T20B40	30	150	115*	




No 24


1½"•1"

(38.1•25.4mm)


STOCK SPROCKETS



Type B



Type B



Type B

Single-Type B

Double-Type B

Triple-Type B Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B					Double Type B					Triple Type B				
			Catalogue No.	Bore d	Hub Dh	L	Material	Catalogue No.	Bore d	Hub Dh	L	Material	Catalogue No.	Bore d	Hub Dh	L	Material
8	99.55	115.0	24B8	20	58	45	40# (1040)	D24B8	25	58	95	40# (1040)	T24B8	25	58	140	40# (1040)
9	111.40	126.4	24B9	20	70	45		D24B9	25	70	95		T24B9	25	70	140	
10	123.29	138.0	24B10	20	80	45		D24B10	25	80	95		T24B10	25	80	140	
11	135.21	150.0	24B11	25	90	50		D24B11	25	90	100		T24B11	30	90	150	
12	147.22	162.0	24B12	25	102	50		D24B12	25	102	100		T24B12	30	102	150	
13	159.18	174.2	24B13	25	114	50		D24B13	25	114	100		T24B13	30	114	150	
14	171.22	186.2	24B14	25	128	50		D24B14	25	128	100		T24B14	30	128	150	
15	183.26	198.2	24B15	25	140	50	Type BW 20# (1020)	D24B15	25	140	100	Type BW 20# (1020)	T24B15	30	132	150	Type BW 20# (1020)
16	195.30	210.3	24B16	25	140	55*		D24B16	30	140	100*		T24B16	30	136	150*	
17	207.34	222.3	24B17	25	140	55*		D24B17	30	150	100*		T24B17	30	140	150*	
18	219.42	234.3	24B18	25	140	55*		D24B18	30	150	100*		T24B18	30	150	150*	
19	231.49	246.5	24B19	25	140	55*		D24B19	30	160	100*		T24B19	30	160	150*	
20	243.57	258.6	24B20	25	140	55*		D24B20	30	160	100*		T24B20	30	160	150*	
21	255.65	270.6	24B21	30	150	60*		D24B21	30	160	100*		T24B21	40	160	150*	
22	267.73	282.7	24B22	30	150	60*		D24B22	30	160	100*		T24B22	40	160	150*	
23	279.80	294.8	24B23	30	150	60*		D24B23	30	160	100*		T24B23	40	160	150*	
24	291.88	306.8	24B24	30	150	60*		D24B24	30	160	100*		T24B24	40	160	150*	
25	304.00	319.0	24B25	30	150	60*		D24B25	30	160	100*		T24B25	40	160	150*	
26	316.08	331.0	24B26	30	160	60*		D24B26	30	160	100*		T24B26	40	160	150*	
27	328.19	343.2	24B27	30	160	60*		D24B27	30	160	100*		T24B27	40	160	150*	
28	340.27	355.2	24B28	30	160	60*		D24B28	30	160	100*		T24B28	40	160	150*	
29	352.38	367.3	24B29	30	160	60*		D24B29	30	160	100*		T24B29	40	160	150*	
30	364.50	379.5	24B30	30	160	60*		D24B30	30	160	100*		T24B30	40	160	150*	
31	376.62	391.6	24B31	30	160	60*		D24B31	40	160	100*		T24B31	40	160	150*	
32	388.69	403.7	24B32	30	160	60*		D24B32	40	160	100*		T24B32	40	160	150*	
33	400.81	415.8	24B33	30	160	60*		D24B33	40	160	100*		T24B33	40	160	150*	
34	412.93	427.8	24B34	30	160	60*		D24B34	40	160	100*		T24B34	40	160	150*	
35	425.04	440.0	24B35	30	160	60*		D24B35	40	160	100*		T24B35	40	160	150*	
36	437.16	452.0	24B36	30	160	60*		D24B36	40	160	100*		T24B36	40	160	150*	
37	449.27	464.2	24B37	30	160	60*		D24B37	40	160	100*		T24B37	40	160	150*	
38	461.39	476.2	24B38	30	160	60*		D24B38	40	160	100*		T24B38	40	160	150*	
39	473.50	488.5	24B39	30	160	60*		D24B39	40	160	100*		T24B39	40	160	150*	
40	485.62	500.6	24B40	30	160	60*		D24B40	40	160	100*		T24B40	40	160	150*	






No 28

1 3/4" • 1 1/4"

(44.45•30.99mm)

STOCK SPROCKETS



Single-Type B

Double-Type B

Triple-Type B Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B				Material	Double Type B				Material	Triple Type B				Material
			Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L		Catalogue No.	Bore d	Hub Dh	L	
8	116.15	132.0	28B8	25	74	70	40# (1040)	D28B8	30	74	120	40# (1040)	T28B8	30	74	180	40# (1040)
9	129.96	148.4	28B9	25	88	70		D28B9	30	88	120		T28B9	30	88	180	
10	143.85	162.3	28B10	25	100	70		D28B10	30	100	120		T28B10	30	100	180	
11	157.77	176.3	28B11	25	112	70		D28B11	30	112	120		T28B11	30	112	180	
12	171.74	189.3	28B12	25	125	70		D28B12	30	125	120		T28B12	30	125	180	
13	185.75	204.3	28B13	25	125	70*		D28B13	30	125	120*		T28B13	30	125	180*	
14	199.76	218.2	28B14	25	130	70*	Type BW 20# (1020)	D28B14	30	130	120*	Type BW 20# (1020)	T28B14	30	130	180*	Type BW 20# (1020)
15	213.79	232.3	28B15	25	145	70*		D28B15	30	145	120*		T28B15	30	145	180*	
16	227.84	246.3	28B16	30	160	75*		D28B16	30	160	120*		T28B16	30	160	180*	
17	241.90	260.0	28B17	30	160	75*		D28B17	30	160	120*		T28B17	30	160	180*	
18	255.98	274.0	28B18	30	160	75*		D28B18	30	160	120*		T28B18	30	160	180*	
19	270.06	289.0	28B19	30	160	75*		D28B19	30	180	120*		T28B19	30	180	180*	
20	284.15	303.0	28B20	30	160	75*		D28B20	30	180	120*		T28B20	30	180	180*	
21	298.24	317.0	28B21	30	170	75*		D28B21	30	180	120*		T28B21	40	180	180*	
22	312.34	331.0	28B22	30	170	75*		D28B22	30	180	120*		T28B22	40	180	180*	
23	326.44	345.0	28B23	30	170	75*		D28B23	30	180	120*		T28B23	40	180	180*	
24	340.55	359.0	28B24	30	170	75*		D28B24	30	180	120*		T28B24	40	180	180*	
25	354.66	373.0	28B25	30	170	75*		D28B25	30	180	120*		T28B25	40	180	180*	
26	368.77	387.0	28B26	30	170	75*		D28B26	40	180	120*		T28B26	40	180	180*	
27	382.88	401.0	28B27	30	170	75*		D28B27	40	180	120*		T28B27	40	180	180*	
28	397.00	416.0	28B28	30	170	75*		D28B28	40	180	120*		T28B28	40	180	180*	
29	411.12	430.0	28B29	30	170	75*		D28B29	40	180	120*		T28B29	40	180	180*	
30	425.24	444.0	28B30	30	170	75*		D28B30	40	180	120*		T28B30	40	180	180*	
31	439.37	458.0	28B31	30	180	75*		D28B31	40	200	120*		T28B31	40	200	180*	
32	453.49	472.0	28B32	30	180	75*		D28B32	40	200	120*		T28B32	40	200	180*	
33	467.62	486.0	28B33	30	180	75*		D28B33	40	200	120*		T28B33	40	200	180*	
34	481.75	500.0	28B34	30	180	75*		D28B34	40	200	120*		T28B34	40	200	180*	
35	495.88	514.0	28B35	30	180	75*		D28B35	40	200	120*		T28B35	40	200	180*	
36	510.01	529.0	28B36	30	180	75*		D28B36	40	200	120*		T28B36	40	200	180*	
37	524.13	543.0	28B37	30	180	75*		D28B37	40	200	120*		T28B37	40	200	180*	
38	538.27	557.0	28B38	30	180	75*		D28B38	40	200	120*		T28B38	40	200	180*	
39	552.40	571.0	28B39	30	180	75*		D28B39	40	200	120*		T28B39	40	200	180*	
40	566.54	585.0	28B40	30	180	75*		D28B40	40	200	120*		T28B40	40	200	180*	






No 32

2"•1 ¼

(50.8•30.99mm)

STOCK SPROCKETS



Single-Type B

Double-Type B

Triple-Type B Unit:mm

No. of Teeth	Pitch Dia. Dp	Outside Dia. Do	Single Type B					Double Type B					Triple Type B				
			Catalogue No.	Bore d	Hub Dh	L	Material	Catalogue No.	Bore d	Hub Dh	L	Material	Catalogue No.	Bore d	Hub Dh	L	Material
8	132.74	153.2	32B8	30	85	80	40* (1040)	D32B8	30	85	120	40* (1040)	T32B8	30	85	180	40* (1040)
9	148.54	169.0	32B9	30	100	80		D32B9	30	100	120		T32B9	30	100	180	
10	164.39	185.0	32B10	30	115	80		D32B10	30	115	120		T32B10	30	115	180	
11	180.31	200.8	32B11	30	125	80		D32B11	35	125	120		T32B11	35	125	180	
12	196.29	216.8	32B12	30	133	80*		D32B12	35	133	120*		T32B12	35	133	180*	
13	212.29	232.8	32B13	30	145	80*	Type BW 20# (1020)	D32B13	35	145	120*	Type BW 20# (1020)	T32B13	35	145	180*	Type BW 20# (1020)
14	228.29	248.8	32B14	30	155	80*		D32B14	35	155	120*		T32B14	35	155	180*	
15	244.30	264.8	32B15	30	160	80*		D32B15	35	160	120*		T32B15	35	160	180*	
16	260.40	280.9	32B16	30	160	90*		D32B16	40	160	120*		T32B16	40	160	180*	
17	276.46	296.9	32B17	30	170	90*		D32B17	40	180	120*		T32B17	40	180	180*	
18	292.55	313.0	32B18	30	170	90*		D32B18	40	180	120*		T32B18	40	180	180*	
19	308.66	329.1	32B19	30	170	90*		D32B19	40	200	120*		T32B19	40	200	180*	
20	324.71	345.2	32B20	30	180	90*		D32B20	40	200	120*		T32B20	40	200	180*	
21	340.82	361.3	32B21	40	180	90*		D32B21	40	200	120*		T32B21	40	200	180*	
22	356.98	377.5	32B22	40	180	90*		D32B22	40	200	120*		T32B22	40	200	180*	
23	373.08	393.6	32B23	40	180	90*		D32B23	40	200	120*		T32B23	40	200	180*	
24	389.18	409.7	32B24	40	180	90*		D32B24	40	200	120*		T32B24	40	200	180*	
25	405.33	425.8	32B25	40	180	90*		D32B25	40	200	120*		T32B25	40	200	180*	
26	421.44	441.9	32B26	40	180	90*		D32B26	40	200	120*		T32B26	40	200	180*	
27	437.59	458.1	32B27	40	180	90*		D32B27	40	200	120*		T32B27	40	200	180*	
28	453.69	474.2	32B28	40	180	90*		D32B28	40	200	120*		T32B28	40	200	180*	
29	469.85	492.0	32B29	40	180	90*											
30	486.00	506.5	32B30	40	180	90*		D32B30	40	200	120*		T32B30	40	200	180*	
32	518.27	538.8	32B32	40	180	90*											
35	566.71	589.5	32B35	40	180	90*											
38	615.16	635.5	32B38	40	180	90*											
40	647.47	670.3	32B40	40	180	90*											