







Short pitch conveyor
chain attachments



A-1



K-1



DIN/ISO Chain No.	ANSI Chain No.	P	G	F	W	T	h ₄	d ₄
		mm	mm	mm	mm	mm	mm	mm
06C	35	9.525	7.9	19.00	28.6	1.30	6.35	3.4
08A	40	12.700	9.5	25.40	35.2	1.50	7.90	3.4
10A	50	15.875	12.7	31.75	46.2	2.03	10.30	5.5
12A	60	19.050	15.9	38.10	55.6	2.42	11.90	5.5
16A	80	25.400	19.1	50.80	64.8	3.25	15.90	6.8
20A	100	31.750	25.4	63.50	87.3	4.00	19.80	9.2
24A	120	38.100	28.6	76.20	108.5	4.80	23.00	9.8
28A	140	44.450	34.9	88.90	123.0	5.60	28.60	11.4
32A	160	50.800	38.1	101.60	142.8	6.40	31.75	13.1
*06B		9.525	8.0	19.04	27.0	1.30	6.50	3.5
08B		12.700	9.5	25.40	36.4	1.60	8.90	4.5
10B		15.875	14.3	31.75	44.6	1.70	10.31	5.3
12B		19.050	16.0	38.10	52.4	1.85	13.46	6.4
16B		25.400	19.1	50.80	72.6	3.10	15.88	6.4
20B		31.750	35.0	63.50	100.5	3.50	19.80	9.0



*Straight side plates

Short pitch conveyor
chain attachments



SA-1/M1(one side)

SK-1/M1(both sides)




DIN/ISO Chain No.	ANSI Chain No.	P	G	C	F	T	d ₄
		mm	mm	mm	mm	mm	mm
06C	35	9.525	7.9	9.50	14.55	1.30	3.4
08A	40	12.700	9.5	12.70	19.05	1.50	3.4
10A	50	15.875	12.7	15.90	25.25	2.03	5.5
12A	60	19.050	15.9	18.30	29.33	2.42	5.5
16A	80	25.400	19.1	24.60	34.70	3.25	6.8
20A	100	31.750	25.4	31.80	43.30	4.00	9.2
24A	120	38.100	28.6	36.50	51.60	4.80	9.8
28A	140	44.450	34.9	44.50	62.00	5.60	11.4
32A	160	50.800	38.1	50.80	69.85	6.40	13.1
*06B		9.525	8.0	9.52	13.50	1.30	3.5
08B		12.700	9.5	13.35	18.90	1.60	4.3
10B		15.875	14.3	16.50	22.95	1.70	5.3
12B		19.050	16.0	21.45	28.60	1.85	6.4
16B		25.400	19.1	23.15	34.00	3.10	6.4
20B		31.750	35.0	30.50	45.70	3.50	9.0



*Straight side plates




Short pitch conveyor
chain attachments



WA-1 WA-2





WK-1 WK-2



DIN/ISO Chain No.	ANSI Chain No.	P	G	L	F	W	T	h ₄	d ₄
		mm	mm	mm	mm	mm	mm	mm	mm
06C	35	9.525	17.32	9.525	19.00	28.6	1.30	6.35	2.8
08A	40	12.700	23.00	12.700	25.40	35.6	1.50	7.90	3.4
10A	50	15.875	28.80	15.875	31.75	46.8	2.03	10.30	5.5
12A	60	19.050	34.65	19.050	38.10	56.4	2.42	11.90	5.5
16A	80	25.400	45.90	25.400	50.80	73.2	3.25	15.90	6.8
20A	100	31.750	57.65	31.750	63.50	89.8	4.00	19.80	9.2
24A	120	38.100	69.30	38.100	76.20	108.8	4.80	23.00	9.8
28A	140	44.450	80.45	44.450	88.90	123.0	5.60	28.60	11.4
32A	160	50.800	92.00	50.800	101.60	142.8	6.40	31.75	13.1
08B		12.700	24.00	12.700	25.40	36.4	1.60	8.90	4.3
10B		15.875	29.58	15.875	31.80	44.6	1.70	10.31	5.3
12B		19.050	34.05	19.050	38.10	52.4	1.85	13.46	6.4
16B		25.400	46.40	25.400	50.80	72.6	3.10	15.88	6.4
20B		31.750	58.10	31.750	63.00	100.5	3.50	19.80	9.0

Short pitch conveyor chain attachments





WSA-1

WSA-2

WSK-1

WSK-2




DIN/ISO Chain No.	ANSI Chain No.	P	G	L	C	F	T	d ₄
		mm	mm	mm	mm	mm	mm	mm
06C	35	9.525	17.32	9.525	9.50	14.55	1.30	2.8
08A	40	12.700	23.00	12.700	12.70	17.40	1.50	3.4
10A	50	15.875	28.80	15.875	15.90	23.05	2.03	5.5
12A	60	19.050	34.65	19.050	18.30	26.86	2.42	5.5
16A	80	25.400	45.90	25.400	24.60	35.45	3.25	6.8
20A	100	31.750	57.65	31.750	31.80	44.00	4.00	9.2
24A	120	38.100	69.30	38.100	36.50	51.60	4.80	9.8
28A	140	44.450	80.45	44.450	44.50	62.00	5.60	11.4
32A	160	50.800	92.00	50.800	50.80	69.85	6.40	13.1
08B		12.700	23.30	12.700	13.35	18.90	1.60	4.3
10B		15.875	29.58	15.875	16.50	22.95	1.70	5.3
12B		19.050	34.05	19.050	21.45	28.60	1.85	6.4
16B		25.400	46.40	25.400	23.15	34.00	3.10	6.4
20B		31.750	58.10	31.750	30.50	45.70	3.50	9.0




Short pitch conveyor chain attachments

AA-1




KK-1




DIN/ISO Chain No.	ANSI Chain No.	P	G	F	W	T	h4	d4
		mm	mm	mm	mm	mm	mm	mm
08A	40	12.700	9.5	25.40	35.2	1.50	7.90	3.4
10A	50	15.875	12.7	31.75	46.2	2.03	10.30	5.5
12A	60	19.050	15.9	38.10	55.6	2.42	11.90	5.5
16A	80	25.400	19.1	50.80	64.8	3.25	15.90	6.8
*06B		9.525	8.0	19.04	27.0	1.30	6.50	3.5
08B		12.700	9.5	25.40	36.4	1.60	8.90	4.5
10B		15.875	14.3	31.75	44.6	1.70	10.31	5.3
12B		19.050	16.0	38.10	52.4	1.85	13.46	6.4
16B		25.400	19.1	50.80	72.6	3.10	15.88	6.4

SAA-1




SKK-1



DIN/ISO Chain No.	ANSI Chain No.	P	G	C	F	T	d4
		mm	mm	mm	mm	mm	mm
08A	40	12.700	9.5	12.70	19.05	1.50	3.4
10A	50	15.875	12.7	15.90	25.25	2.03	5.5
12A	60	19.050	15.9	18.30	29.33	2.42	5.5
16A	80	25.400	19.1	24.60	34.70	3.25	6.8
*06B		9.525	8.0	9.52	13.50	1.30	3.5
08B		12.700	9.5	13.35	18.90	1.60	4.3
10B		15.875	14.3	16.50	22.95	1.70	5.3
12B		19.050	16.0	21.45	28.60	1.85	6.4
16B		25.400	19.1	23.15	34.00	3.10	6.4



*Straight side plates

Conveyor chain with special attachments (A series)




Chain No.	P	A	B	h ₁	h ₂	h	H
	mm	mm	mm	mm	mm	mm	mm
06CF2	9.525	6.5	8.0	5.2	15.0	20.5	24.15

Chain No.	P	h ₁	h ₂	H	α
	mm	mm	mm	mm	
08AF1	12.7	7.8	10.4	35.45	30°




Chain No.	P	L	A	B	C	S	H
	mm	mm	mm	mm	mm	mm	mm
RS40F1	12.7	23.6	7.32	16.1	17.0	0.9	13.3

Chain No.	P	L	A	B	C	D	R	α
	mm	mm	mm	mm	mm	mm	mm	
08AF6	12.7	25.3	5.0	6.0	9.43	17.0	15.0	55°




Chain No.	P	A	B	L	h	H	d ₃	d ₄
	mm	mm	mm	mm	mm	mm	mm	mm
08AF7	12.7	31.34	25.48	17.45	12.7	15.88	3.3	4.95






Conveyor chain with special attachments (A series)





Chain No.	P	H ₂	H	S	T
	mm	mm	mm	mm	mm
10AF2	15.875	13.0	17.0	0.3	2.03





Chain No.	P	h	H	L	R
	mm	mm	mm	mm	mm
C60TS	19.05	14.1	22.3	35.45	5.0

Chain No.	P	h ₁	h ₂	h	α
	mm	mm	mm	mm	°
16AF5	25.4	8.8	11.7	34.6	105 °



Chain No.	P	L	h ₁	h ₂	h	H	d ₄
	mm	mm	mm	mm	mm	mm	mm
16AF6	25.4	47.63	7.92	12.7	21.44	34.93	4.98



Chain No.	P	A	B	C	h	H	G	α
	mm	mm	mm	mm	mm	mm	mm	°
16AF7	25.4	29.0	21.0	9.2	13.5	30.5	17.0	15 °



Chain No.	P	h	H	A	T
	mm	mm	mm	mm	mm
16AF8	25.4	11.2	40.2	29.2	3.1


Conveyor chain with special attachments (A series)

Chain No.	P	L	h ₁	h ₂	A	B	R	α
	mm	mm	mm	mm	mm	mm	mm	
16AF10	25.4	45.9	13.3	12.0	10.0	8.2	10.0	120°




Chain No.	P	A	B	C	D	G
	mm	mm	mm	mm	mm	mm
16AF12	25.4	40.5	51.0	29.0	17.0	20.3

Chain No.	h ₁	h ₂	h ₃	h	H	α
	mm	mm	mm	mm	mm	
16AF12	15.4	24.5	28.0	26.0	42.2	15°




Chain No.	P	d ₄	R ₁	R ₂
	mm	mm	mm	mm
16AF13	76.2	45.0	11.9	31.0

Chain No.	P	h	H	α
	mm	mm	mm	
20AF2	31.75	12.5	51.0	74°







Conveyor chain with special attachments (B series)




Chain No.	P	h ₁	h ₂	H	A	B
	mm	mm	mm	mm	mm	mm
05BF1	8.0	5.8	7.1	16.0	5.0	12.0



Chain No.	P	h ₂	h	A
	mm	mm	mm	mm
06BF1	9.525	8.2	11.0	4.76





Chain No.	P	h ₁	h ₂	h	α
	mm	mm	mm	mm	
08BF3	12.7	4.0	5.3	19.3	30°



Chain No.	P	h ₁	h ₂	h ₃	h	S
	mm	mm	mm	mm	mm	mm
08BF11	12.7	8.0	7.8	14.1	19.9	0.8


Chain No.	P	h ₂	h	α	T
	mm	mm	mm		mm
08BF12	12.7	10.8	14.6	40°	1.6





Chain No.	P	h	H	A	B	d ₃	d ₄
	mm	mm	mm	mm	mm	mm	mm
12B-K188	19.05	14.0	26.7	35.0	25.0	18.0	4.3

Conveyor chain with special attachments (B series)

Chain No.	P	L	h
	mm	mm	mm
16BF6	25.4	46.0	30.0





Chain No.	P	L	h ₁	h ₂	A	B	R	α
	mm	mm	mm	mm	mm	mm	mm	°
16BF10	25.4	45.4	11.0	12.0	10.0	8.2	10	120 °



Chain No.	P	h ₁	h ₂	H	A	B	d ₄	L
	mm	mm	mm	mm	mm	mm	mm	mm
16BF11	25.4	24.5	47.5	64.5	36.0	35.0	6.0	52.7

Chain No.	P	A	B	C	D	G
	mm	mm	mm	mm	mm	mm
16BF12	25.4	40.5	47.0	24.5	17.0	20.3


Chain No.	H ₁	h ₂	h ₃	h	H	α
	mm	mm	mm	mm	mm	mm
16BF12	12.2	24.5	28.0	17.0	41.0	15 °



Chain No.	P	h	H	A	B	L
	mm	mm	mm	mm	mm	mm
20BF2	31.75	30.0	70.0	43.0	35.0	65.15




Short pitch stainless steel
conveyor chain attachments




WA-1

WA-2



WK-1

WK-2



Chain No.	P	G	L	F	W	T	h ₄	d ₄
	mm	mm	mm	mm	mm	mm	mm	mm
40SS	12.700	23.00	12.700	25.4	35.6	1.50	7.90	3.4
50SS	15.875	28.80	15.875	31.8	46.8	2.03	10.30	5.5
60SS	19.050	34.65	19.050	38.1	56.4	2.42	11.90	5.5
80SS	25.400	45.90	25.400	50.8	73.2	3.25	15.90	6.8
100SS	31.750	57.65	31.750	63.5	89.8	4.00	19.80	9.2
08BSS	12.700	24.00	12.700	25.4	36.4	1.60	8.90	4.3
10BSS	15.875	29.58	15.875	31.8	44.6	1.70	10.31	5.3
12BSS	19.050	34.05	19.050	38.1	52.4	1.85	13.46	6.4
16BSS	25.400	46.40	25.400	50.8	72.6	3.10	15.88	6.4